Product Name: APVMA Approval No: Roachkill Gold Cockroach Gel Bait 86169 / 114881





Label Name:	Roachkill Gold Cockroach Gel Bait

Signal Headings:	READ SAFETY DIRECTIONS

Constituent Statements:	ACTIVE CONSTITUENT: 0.5 g/kg FIPRONIL

Statement of Claims:	A ready-to-use gel bait for the control of cockroaches in and around the home. As used by professionals Attracts and kills

Net Contents:	Net Contents 5 g – 50 g
	Outer packaging (all sizes): Contains (1 x 5 g – 10 x 5 g) applicator(s) which it is illegal to sell separately Do not destroy outer packaging while product still remains.
	Syringe label: NOT TO BE SOLD SEPARATELY BEFORE USE READ ALL DIRECTIONS ON OUTER PACK

Restraints:	

How to Use:	This section contains file attachment.

withholding Periods:

How to Prepare:	A ready-to-use bait gel for reliable control of cockroaches. Bait stays moist and attractive to
	cockroaches.
	General:

In some situations the extent of a cockroach infestation may require the expertise and resources of a Professional Pest Manager. It is recommended that such expert advice is sought if the infestation is not brought under control with the use of this product as directed.
--

Precautions:	Caution DO NOT apply the bait gel directly on humans, pets, exposed food, food preparation areas or food utensils. DO NOT place gel on surfaces that are regularly washed. DO NOT allow the containers or product to get into drains, sewers, streams or ponds.
--------------	--

Protections:			
--------------	--	--	--

Storage and	Storage and Disposal
Disposal:	Do not destroy outer packaging while product still remains. Replace cap on applicator and store with original packaging in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty applicator by wrapping in paper, placing in plastic bag and putting in garbage.

Safety Directions:	SAFETY DIRECTIONS	
	May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.	

First Aid Instructions:	FIRST AID If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone: Australia 131126.
-------------------------	---

First Aid Warnings:	
---------------------	--

HOW TO USE

Remove cap by gently bending the point of the applicator. Remove stopper from end of applicator and touch nozzle to surface; lightly depress plunger until a spot about the size of a small pea (3 - 6 mm diameter bait spot) is delivered. Use the table below to assess the number of spots required.

SITUATION	PESTS CONTROLLED	RATE	WHERE TO APPLY
Houses, sheds, garages and other domestic buildings or structures.	Cockroaches	 2 – 8 spots /m² depending on size of infestation and type of cockroaches present. Use the higher rate for large infestations or infestations of large cockroaches. 	Apply bait gel in out of the way places where cockroaches occur (eg. under or near appliances, around garbage bins, underneath kitchen sink units etc). DO NOT place gel on surfaces which are regularly washed. Monitor bait gel spots and reapply baits when the original bait has been consumed for as long as cockroaches remain. If bait gel is quickly completely consumed then increase number of spots.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED