

Indoor & Outdoor plants

**HOW TO USE** Avoid spraying outdoors under hot or windy conditions. DO NOT apply to young seedlings.

- January III Se	DO NOT apply to young seedlings.	
SITUATION	PESTS	HOW TO APPLY
Citrus	Ants, Black Citrus Aphid (not TAS), Thrips	Apply when infestations are first noti & then at weekly intervals while inse

(including ornamental plants, roses and shrubs).

Vegetables

Greenhouse Whitefly, Leafhoppers, Thrips.

Vegetables

Aphids, Budworm, Caterpi

Aphids, Budworm, Caterpillars, Leafhoppers, Thrips.

Ants. Aphids. Caterpillars.

Apply when infestations are first noticed & then at weekly intervals while insects are active. Shake well before use. Spray directly onto insects & surrounding foliage including the undersurfaces of leaves. Hold the bottle 25cm from the plants & apply in a sweeping motion.

## NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED. DO NOT PICK VEGETABLES OR CITRUS FOR 1 DAY AFTER SPRAYING.

**CAUTION** DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. This product contains synthetic ingredients to enhance the knockdown effect of the pyrethrins.

STORAGE & DISPOSAL Store in the closed, original container in a cool, dry place out of the reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in the garbage.

FIRST AID If poisoning occurs, contact a doctor or Poisons Information Centre, Phone 13 11 26.

## CONSUMER HOTLINE 1800 804 219

© 2005. Licensed by The Scotts Company. World rights reserved.

## Scotts Australia Pty. Ltd ABN 31 003 123 162

11 Columbia Way, Baulkham Hills, New South Wales, 2153, Australia Phone 02 8853 7300

APVMA Approval No. 32669/750ml /0707