CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Insectigone*



ACTIVE CONSTITUENT: 10 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For control of a range of insect pests in various situations as per the Directions for Use table.

Important: Read the attached leaflet before use.

Contents: (250 mL, 500 mL, 1 Litre, 2.5 Litres, 5 Litres, 20 Litres)

PCT Holdings Pty Ltd

ACN 099 023 962 Unit 1, 74 Murdoch Circuit ACACIA RIDGE QLD 4110 http://pct.au.com

CUSTOMER SERVICE FREECALL EMERGENCY RESPONSE (ALL HOURS) FREECALL 1 800 630 877

1 800 630 877

* Trademark of PCT

APVMA Approval No.

51943 / 56006

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS: Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes, nose and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container and preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS: Additional information is listed in the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at http://pct.au.com

NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

Batch No:

DOM

BAR CODE

CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Insectigone*

ACTIVE CONSTITUENT: 10 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For control of a range of insect pests in various situations as per the Directions for Use table.

Leaflet

PCT Holdings Pty Ltd

ACN 099 023 962 Unit 1, 74 Murdoch Circuit ACACIA RIDGE QLD 4110 http://pct.au.com

CUSTOMER SERVICE FREECALL 1 800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1 800 630 877

* Trademark of PCT

APVMA Approval No. 51943 / 56006

DIRECTIONS FOR USE RESTRAINT

DO NOT apply spray treatment outdoors if rain is imminent.

SITUATION	Spray treatmen		CRITICAL COMMENTS
	PE313	RATE	
Domestic, commercial.		Initial treatment 150 mL	For use on non-porous surfaces: dilute with 5 L of water
industrial, and public		150 ML	and apply as a coarse spray at a rate of 5 L of emulsion per 100 m ² not exceeding the point of run-off.
buildings: including		Maintenance	For use on porous surfaces or for use through power
food processing		treatments 75 mL	equipment, dilute with 10 L of water and apply per 100
establishments,		treatments 75 mil	m ² of surface, not exceeding the point of run-off.
shops, factories,	Cockroaches		Conduct a thorough inspection and apply to known and
ships, offices,	Cockidacties		potential cockroach harbourages. A barrier application
schools, storerooms,		*	around areas where cockroach infestations may be
hospitals, barracks,			originating is also suggested.
private houses and			Where application of a spray is not suitable it is
external areas			recommended that a suitably registered gel bait be
associated with such			applied.
establishments.	Web-spinning		Directly spray spiders, their webbing and areas where
	spiders		spiders may hide. It is recommended that webbing be
	•		left in place for a few days after application to optimise
			efficacy.
[Non web-spinning		Spray areas where spiders are known to occur.
	spiders		
	Ants		Where possible locate the nest and spray directly into
			nest entrances. Penetration of insecticide can be
			assisted by pre-wetting sandy and porous soils with
			water. A thorough soaking treatment with insecticide
ļ			mixture is required to destroy the nest.
			If nest cannot be located then spray infested areas.
	Fleas		Clean and vacuum infested areas and dispose of dust
			collected in the garbage in a sealed plastic bag. Lightly
			spray infested areas concentrating on areas under
			furniture etc. Treat pets with a suitably registered
			veterinary flea control product.
	0:16-1-		See also the note on application to carpets below.
	Silverfish		Direct spray to areas of potential infestation eg under
			skirting boards, and furniture where dark conditions may
	Pod bugo		favour silverfish populations. Treat cracks and crevices in bed frames and the
	Bed bugs		adjacent walls.
}	Bird mites		Treat infested areas. Inspect roof voids and remove any
	Dira Illites		old bird nest material. A suitably registered dust product
			is recommended for treatment of roof void areas.
ŀ	Carpet beetles		Apply to infested carpets, particularly in areas of little or
	odipet beetles		no traffic, and underneath windows where adult beetles
			may be entering the building.
			See also the note on application to carpets below.
İ	Clothes moths		Spray surfaces in areas where clothes are stored. DO
			NOT spray the clothes.
	Houseflies,	75 mL	Spray surfaces where flies and mosquitoes are known to
	mosquitoes		rest.
	·		Flies- include external surfaces that are exposed to the
			morning sun.
			Mosquitoes- spray walls, awnings, fences and vegetated
			areas near to buildings.
			Note: A residual surface spray will only control those
			insects that alight on the treated surfaces.
	Stored product		The use of this product in the control of stored product
	insect pests		pests should be considered as part of an integrated
			strategy to prevent development of insect populations.
			Best results will be obtained where good hygiene is
			maintained. Infested areas should be cleaned prior to
			application and regularly cleaned thereafter to reduce
			food sources for pests.
			When treating for beetle pests pay special attention to
		İ	sheltered areas such as cracks and crevices, under
İ			furniture and equipment, floors, walls and shelves. Adult
			furniture and equipment, floors, walls and shelves. Adult moths can be controlled by applying the product to walls and surfaces where the flying adult moths come to rest.

SITUATION	PESTS	RATE	CRITICAL COMMENTS
Cut flowers for export	Quarantine pests	250 mL per 100 L water	Flowers must be totally submerged in the diluted product for not less than 1 minute and then left to dry naturally for 2 hours.
For short term protection of Freshly felled pine logs prior to debarking	Fivespined bark beetle (Ips grandicollis)	100 mL in 10 L water	Apply through knapsack or power sprayer at the rate of 10 L per 100 m ² of surface area. NB. For best results apply promptly after felling or sawing operations.
For short term protection of Freshly felled logs, poles and posts, and sawn timber including in situ timbers.	Furniture Beetles, F. Anobiidae, Auger beetles, F. Bostrichidae; Powderpost beetles, F. Lyctinae.		

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

INSECTIGONE INSECTICIDE is a contact and residual insecticide.

Insecticide Resistance Warning

GROUP 3A INSECTICIDE

Some naturally-occurring insect biotypes resistant to INSECTIGONE INSECTICIDE and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if INSECTIGONE INSECTICIDE or other Group 3A insecticides are used repeatedly. The effectiveness of INSECTIGONE INSECTICIDE on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, PCT Holdings Pty Ltd accepts no liability for any losses that may result from the failure of INSECTIGONE INSECTICIDE to control resistant insects.

INSECTIGONE INSECTICIDE may be subject to specific resistance management strategies. For further information contact your local supplier, PCT Holdings Pty Ltd representative or local agricultural department agronomist.

Mixing/Application

Shake original container before use. Periodically agitate suspension during application to ensure thorough mixing. For best results, form a premix of the required amount of product with an equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly. Do not store diluted insecticide. Prepare a fresh solution as necessary. Do not spray the moving parts of any machinery, electric motors or switch gear with the water based product.

Note on application to carpets:

Whilst carpets are regarded as porous surfaces, excessive liquid application may produce water stains and therefore the non-porous surface rate should be adopted if possible.

Short pile carpet: Dilute recommended amount of Insectigone in 5 L water and apply 5 L per 100 m² of carpet.

Long or shag pile carpet: Dilute recommended amount of Insectigone in 10 L water and apply 10 L per 100 m² to ensure effective penetration of carpet pile. Since carpets vary in thickness, colour and fibre type, it is recommended that a small, inconspicuous area of carpet be treated and allowed to dry to test for colourfastness.

USE AS A RESIDUAL SURFACE TREATMENT FOR CONTROL OF STORED PRODUCT PESTS:

The following measures should be observed:

- Ensure food items in store are not exposed to spray- if necessary remove food items from the area to be treated. Allow all treated surfaces to dry before replacing food items.
- Do NOT allow spray to contact food packaging material.
- Discard any foodstuff accidentally contaminated with spray solution.

PRECAUTIONS

Avoid contact with food, food utensils or places where food is prepared or stored. Before use, remove or cover all exposed foodstuffs. Cover all dishes and utensils, and places where food is prepared or stored. After use, thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

For surface treatment only- do not spray into the atmosphere using foggers or other devices designed to create an aerosol.

Allow treated carpets to dry before resuming activity on them.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS: Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes, nose and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container and preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

Ancillary panel - leaflet (continued)

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS: Additional information is listed in the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at http://pct.au.com

NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.